


Evora

1. Dimensions / Weight



EVORA 10
weight: 5.70 kg

2. Materials / Version

2.1. Frame

Hocker 4-leg frame – made of $\varnothing 22 \times 1,5$ mm steel tube. Protective plastic footrest cap fixed to the crossbar.

Finish options:

- powder-coated in White aluminium RAL 9006 (ALU),
 - powder-coated in Jet black RAL 9005 (BL),
 - powder-coated in Traffic white RAL 9016 (W),
 - or „Fashion Collection“ colour,
 - chromium plated (Z).
- Chair does not stack.

2.2. Glides

Black plastic glides for soft floors (G20) as standard or hard floors (G20F) as an option.

2.3. Seat and backrest

Wooden shell (0) – made of 6-layer beech plywood, thickness 9.5 mm.

Fully upholstered shell (1) – structure made of 6-layer beech plywood, thickness 9.5 mm, covered with foam density 55 kg/m^3 , thickness 15 mm (front) and 9 mm (back part of backrest).
WALL PROTECTION SYSTEM – frame construction enables 60 mm distance between backrest and the wall to prevent it from scratching.

3. Packaging

1 piece per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Selected configurations have:

Durability certificate:

EN 1022, EN 16139, EN 1728.