


Tauko

Technical description


NowyStyl

Tauko


1. Dimensions / Weight




Tauko 4L-LWM
weight: 5.60 kg




Tauko Hocker-4L-LWM
weight: 7.40 kg




Tauko CFS-ROD
weight: 6.60 kg




Tauko Hocker CFS-ROD
weight: 8.30 kg




Tauko 4L-METAL
weight: 5.60 kg




Tauko A-PLUS CFS-ROD
weight: 6.60 kg




Tauko HOCKER A-PLUS CFS-ROD
weight: 8.80 kg




Tauko LB HOCKER CFS-ROD
weight: 7.90 kg




Tauko A-PLUS 4L-LWM
weight: 6.20 kg




Tauko Hocker A-PLUS-4L-LWM
weight: 7.40 kg




Tauko 7/8-Hocker A-PLUS-CFS-ROD
weight: 8.60 kg




Tauko A-PLUS 4L-METAL
weight: 6.10 kg




Tauko Table-LWM Ø 800
weight: 16.10 kg




Tauko Table-LWM 800 x 800
weight: 18.50 kg




Tauko Coffee Table-LWM Ø 600
weight: 11.50 kg




Tauko Coffee Table-LWM Ø 800
weight: 15.20 kg



Tauko Coffee Table-LWM 800 x 800
weight: 17.60 kg



Tauko Conference Table-LWM
weight Ø 1200: 31.30 kg
weight Ø 1800: 55.40 kg



Tauko Modular Table-LWM
weight: 9.60 kg

2. Materials / Versions

2.1 Chair and Bar Stool

2.1.1. Frame

LWM version – 4-leg chair and Hockers (Hocker and 7/8) with wooden legs.

The legs are made of solid wood.

Finish options:

- natural beech (1.007),
- stained beech (2.***) ,
- natural oak (2.D07).

Anti-skidding and matt top coat used to finish the surface.

The fixing part under the seat is made of metal sheet, thickness 5 mm and four steel tubes, diameter Ø 32 mm, thickness 2 mm. Metal surface is powder-coated in Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or „Fashion Collection“ colour.

Hocker ring-base is made of steel tube, diameter Ø 16 mm, thickness 2 mm, available as chromium plated version only.

Black plastic cover for metal fixing part – as standard for plywood, SEAT-PLUS and PLUS version. For aesthetic purposes – felt pad placed under the plastic cover, thickness 4 mm. A-PLUS (fully upholstered) version – fixing part visible.

Stacking:

Tauko chair and Hocker with wooden legs do not stack.

CFS-ROD – sled frame chair and Hockers (Hocker and 7/8).

The frame is made of Ø 11 mm rod and metal sheet, thickness 4 mm. Finish options for CFS-ROD sled frame chairs:

- powder-coated in Jet black RAL 9005 (E-BL) colour,
 - powder-coated in Traffic white RAL 9016 (E-WT) colour,
 - powder-coated in Anthracite grey RAL 7016 (E-AH) colour,
 - or „Fashion Collection“ colour,
 - chromium plated (E-CR).
- Finish options for CFS-ROD Hocker chairs:
- powder-coated in Jet black RAL 9005 (E-BL) colour,
 - powder-coated in Traffic white RAL 9016 (E-WT) colour,
 - powder-coated in Anthracite grey RAL 7016 (E-AH) colour,
 - or „Fashion Collection“ colour,
 - chromium plated (E-CR).

Black plastic cover for metal fixing part – as standard for WOOD, SEAT-PLUS, PLUS, and A-PLUS version. For stacking and aesthetic purposes – felt pad placed under the plastic cover, thickness 4 mm.

Stacking:

CFS-ROD plywood Shell – up to 8 pieces, CFS-ROD SEAT-PLUS, PLUS and A-PLUS – up to 6 pieces.

CFS-ROD Hocker version – does not stack

4L METAL – chair with metal legs.

The frame is made of Ø 18 mm steel tubes, thickness 2.5 mm and metal sheet, thickness 4 mm.

Finish options:

- powder-coated in Jet black RAL 9005 (E-BL) colour,
- powder-coated in Traffic white RAL 9016 (E-WT) colour,

– powder-coated in Anthracite grey RAL 7016 (E-AH) colour,

– or „Fashion Collection“ colour,

– chromium plated (E-CR).

Black plastic cover for the metal fixing part – as standard for WOOD, SEAT-PLUS, PLUS and A-PLUS version. For stacking and aesthetic purposes – felt pad placed under the plastic cover, thickness 4 mm.

Stacking

All versions up to 6 pieces.

2.1.2. Glides

LWM version – 4-leg chair and Hockers with wooden legs:

Glides for soft floors (GB) as standard,

or with felt for hard floors as an option (GBF).

CFS-ROD – sled frame chair and Hockers:

Glides for soft floors, transparent (GT), as standard or with felt for hard floors, transparent (GTF) as an option.

4L METAL – chair with metal legs:

Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

2.1.3. Seat and backrest

Wooden shell (WOOD) – made of 7-layer beech plywood, thickness 8 mm. A black felt strip is placed along the gap in the seat.

Finish options:

- natural beech (1.007),
- stained beech, (2.***)
- veneered beech (2*07) – beech plywood shell covered on both sides with veneer.

Wooden shell with upholstered pad on seat

(SEAT-PLUS) – pad structure is made of 3-layer beech plywood, thickness 4.5 mm, covered with polyurethane foam of 40 kg/m³ density, thickness 10 mm.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat pad structure is made of 3-layer beech plywood, thickness 4.5 mm

covered with polyurethane foam of 40 kg/m³ density, thickness 10 mm, back pad structure is made of 3-layer beech plywood, thickness 3.5 mm, covered with polyurethane foam of 25 kg/m³ density, thickness 10 mm.

Fully upholstered shell (A-PLUS) – the shell is made of 7-layer beech plywood, thickness 8 mm, covered with cut polyurethane foam of 30 kg/m² density, 20 mm thickness. Decorative stitching in all available range from Xtreme (XR), Blazer (CUZ) and Synergy (LDS) with the same thread colour as upholstery.

2.1.4. Packaging

LWM version – 4-leg chair and Hockers (Hocker and 7/8) with wooden legs.

1 piece per box (assembled), 8 pieces/pallet 1200 × 1000 mm

CFS-ROD – sled frame chair and Hockers (Hocker and 7/8).

Tauko CFS-ROD: 4 pieces per box (assembled)

16 pieces (4 boxes)/pallet 1200 × 800 mm.

Tauko Hocker CFS-ROD: 1 piece per box (assembled), 8 pieces/pallet 1200 × 1000 mm.

Tauko Hocker 7/8 CFS-ROD: 1 piece per box (assembled), 8 pieces/pallet 1200 × 1200 mm.

4L METAL – chair with metal legs.

4 pieces per box (assembled) , 16 pieces (4 boxes)/pallet 1200 × 800 mm.

2.2. Tables

2.2.1. Base

LWM table, LWM coffee table, LWM modular table.

The legs are made of solid wood.

Finish options:

- natural beech (1.007),
- stained beech (2.***) ,
- natural oak (2.D07).

The fixing part is made of metal sheet, thickness 5 mm and steel tubes Ø 32 mm, thickness 2 mm, powder-coated in Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or „Fashion Collection“ colour.

Stacking:

- LWM table, LWM coffee table – no stacking possibility,
- LWM modular tables – up to 3 pieces.

LWM conference table.

Double legs are made of solid wood.

Finish options:

- natural beech (1.007),
- natural oak (2.D07).

The fixing part is made of metal sheet, thickness 5 mm and steel tubes Ø 32 mm, thickness 2 mm, powder-coated in Traffic white RAL 9016, Jet black RAL 9005 with structure or Anthracite grey colour RAL 7016.

Stacking:

No stacking possibility.

2.2.2. Glides

LWM table, LWM coffee table, LWM modular table:

Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

LWM conference table:

Height adjustable glides (9 mm) for soft floors (GBR) as standard or with felt for hard floors (GBRF) as an option.

2.2.3. Top

Tauko table top is made of melamine faced chipboard (MFC), thickness 25 mm with 2 mm edge in glue technology for Maple (NC), Slate (MS) finish or laser edge for other dedicated finishes.

Available melamine colours: White (BI) , Slate (MS), Champagne Hard Maple (NC), Black (CC) and Cashmere (NK).

Tauko table top is made of melamine faced chipboard (MFC), thickness 25 mm, top part of table top covered with Fenix NTM and bottom part covered with anti-resilient laminate in Grey colour.

1 mm laser edge, is in the same colour as table top.

Available finishes: Fenix NTM laminate available in six colours: grigio antrim (KM), grigio bromo (KN), blu fes (KO), rosso jaipur (KP), verde comodoro (KR) and nero ingo (KJ).

Plastic connectors (Light grey, RAL 7035) for modular tables available as an option(TC). Set of 3 connectors to be fixed on each side of the table top.

Technical description

NowyStyl

2.2.4. Packaging

LWM table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 15 pieces (30 boxes)/pallet 1200 × 800 mm.

LWM coffee table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 18 pieces (36 boxes)/pallet 1200 × 800 mm.

LWM modular table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 15 pieces (30 boxes)/pallet 1200 × 800 mm.

LWM conference table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 12 pieces (24 cartons)/ pallet (dimensions adjusted to the size of table tops).

3. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety certificate for selected configurations of chairs, bar stools and tables from LWM range.

4. Sample order

4.1. Tauko frame chairs

Product line	Product Subgroup	Version		C03	C05	C09/C10	C14	
TAUKO	FRAME CHAIR	CFS-ROD WOOD	(E-BL	CC-1.007	SEAT-PLUS-XR009	GBF)

TAUKO FRAME CHAIR CFS-ROD WOOD (E-BL CC-1.007 SEAT-PLUS-XR009 GBF)

C03 – Frame

C09 / C10 – Backrest and seat pad

C05 – Shell

C14 – Glides

TAUKO FRAME CHAIR CFS-ROD WOOD (E-BL CC-1.007 SEAT-PLUS-XR009 GBF)

identifies the chair as:

TAUKO FRAME CHAIR on sled frame (**CFS-ROD**) powder-coated in Jet black RAL 9005 (**E-BL**) colour, with shell made of wood (**WOOD**) in natural beech colour (**CC-1.007**), upholstered pad on the seat (**SEAT-PLUS**) in Xtreme XR009 fabric (**XR009**), glides with felt for hard floors (**GBF**).

4.2. Tauko tables

Product line	Product Subgroup	Version		D03	D04	D14	D17	D23	
TAUKO	COFFEE TABLE	LWM RO	(DI800	BI	BC-AH/1.007	GB)

TAUKO COFFEE TABLE LWM RO (DI800 BI BC-AH/1.007 GB)

D04 – Table top finish

D17 – Glides

D14 – Base

D23 – Table top connectors

TAUKO COFFEE TABLE LWM RO (DI800 BI BC-AH / 1.007 GB)

identifies the table as:

TAUKO COFFEE TABLE with wooden legs (**LWM**), round top (**RO**) diameter (**DI800**) in white colour (**BI**), metal fixing part of the leg powder-coated in Anthracite grey RAL 7016 (**BC-AH**) colour, wooden part of the leg in natural beech colour (**1.007**), glides for soft floors (**GB**).